


ANSI/SPRI/GT-1 TEST PRESSURES UP TO 136 PSF(VERTICAL) , AND 223 PSF (HORIZONTAL)



**APPLICATIONS**  
 SINGLE-PLY MEMBRANES  
 MOD BIT  
 BUR

**SIZES:**  
 SEE DRAWING

**NOTES:**  
 1-REFER TO ROOF MEMBRANE MANUFACTURER FOR THEIR APPROVED INSTALLATION DETAIL.  
 2-TESTED IN ACCORDANCE WITH ANSI/SPRI/GT-1.

ANSI/SPRI GT-1 TESTED



BOTTOM SIZES ARE PROVIDED IN 1/2-IN. INCREMENTS  
 (e.g. 5-1/4-IN., 5-3/4-IN., 6-1/4-IN., . . . .)

FOR MASONRY APPLICATIONS, PLEASE CONTACT OMG.

CONTACT OMG FOR APPROPRIATE RECOMMENDATIONS NEEDED TO MEET/EXCEED ANSI/SPRI/GT-1 DESIGN CRITERIA

		OMG Inc. 4 Commerce Way Ardur, NC 28704 828-676-1700 www.omgroofing.com	
<b>NAME: WIND RESISTANT OFFSET GUTTER</b>			
DRWN. BY: PL	DATE: 03/10/2020	SKU:	
APPD. BY: KP	DATE: 03/10/2020	SCALE: NOT TO SCALE	SHEET: 1 OF 1